Contents

Editors' preface ix

SECTION I. EPITAXIAL AND HETEROSTRUCTURE GROWTH AND CHARACTERIZATION

(In,Ga)P buffer layers for ZnSe-based visible emitters
K. Lu, J.L. House, P.A. Fisher, C.A. Coronado, E. Ho, G.S. Petrich and L.A. Kolodziejski 1

Epitaxial overgrowth of II–VI compounds on patterned substrates
D. Schikora, H. Hausleitner, S. Einfeldt, C.R. Becker, Th. Widmer, C. Giftge, K. Lübke, K. Lischka, M. von Ortenberg and G. Landwehr 8

Migration enhancement on ZnSe surface in photoassisted molecular beam epitaxy and long duration time of the effects
S. Ichikawa, N. Matsumura, K. Yamawaki, K. Senga and J. Saraie 14

Metalorganic molecular beam epitaxial growth kinetics and doping studies of (001) ZnSe
D. Rajavel, J.J. Zinck and J.E. Jensen 19

Growth of ZnS and ZnCdSSe alloys on GaP using an elemental sulfur source by molecular beam epitaxy
K. Ichino, T. Onishi, Y. Kawakami, Sz. Fujita and Sg. Fujita 28

Optimization of strained short-period ZnSSe/ZnSe superlattices grown by metalorganic vapour phase epitaxy
J. Söllner, M. Scholl, A. Schneider, M. Heuken and J. Woitok 35

Use of germanium interfacial layer for the hetero-epitaxial growth of CdTe on Si substrates
W.-S. Wang and I. Bhat 43

Molecular beam epitaxial growth mechanism of ZnSe epilayers on (100) GaAs as determined by reflection high-energy electron diffraction, transmission electron microscopy and X-ray diffraction
P. Ruppert, D. Hommel, T. Behr, H. Heinke, A. Waag and G. Landwehr 48

Surface engineering during molecular beam epitaxial growth of wide-gap II–VI structures
J. Griesche, N. Hoffmann and K. Jacobs 55

On the mechanism of reflection high-energy electron diffraction oscillations studied by phase-locked epitaxy of ZnSe
J. Griesche, N. Hoffmann and K. Jacobs 59

Atomic layer epitaxy of CdSe/ZnSe short period superlattices
T. Matsumoto, T. Iwashita, K. Sasamoto and T. Kato 63

Critical thickness in heteroepitaxial growth of zinc-blende semiconductor compounds
G. Cohen-Solal, F. Bailly and M. Barbé 68

Influence of growth non-stoichiometry on optical properties of doped and non-doped ZnSe grown by chemical vapour deposition
E. Krause, H. Hartmann, J. Menninger, A. Hoffmann, Ch. Fricke, R. Heitz, B. Lummer, V. Kutzer and I. Broser 75

Structural properties of perfect ZnTe epilayers on (001) GaAs substrates
M. Lang, D. Schikora, T. Widmer, C. Giftge, A. Forstner, V. Holy, J. Humenberger, K. Lischka, G. Brunthaler, H. Sitter and M. von Ortenberg 81

Growth and characterization of electrodeposited films of cadmium telluride on silicon
J.M. Fisher, L.E.A. Berlouis, L.J.M. Sawers, S.M. MacDonald, S. Affrossman, D.J. Diskett and M.G. Astles 86

Compensation processes in molecular beam epitaxially grown zinc selenide doped with nitrogen
K.A. Prior, B. Murdin, C.R. Pidgeon, S.Y. Wang, I. Hauksson, J.T. Mullins, G. Horsburgh and B.C. Cavenett 94

* Invited paper.

Observation of preferential donor–acceptor pairing in ZnSe : Na
L. Radomsky, G.-J. Yi and G.F. Neumark 99
Organometallic vapor phase epitaxial growth of p-type ZnSe using phenylhydrazine as the dopant source
S. Akram and I. Bhat 105
Auto-doping of Ga in ZnSe/GaAs layers grown at low temperatures by post-heated molecular beam epitaxy
M. Yoneta, H. Saito and M. Ohishi 110
Low pressure growth and nitrogen doping in metalorganic vapor phase epitaxy of ZnSe
K. Nishimura, Y. Nagao and K. Sakai 114
Contamination effects from tellurium in ZnS–ZnSe superlattices
D. Bouchara, A. Abounadi, M. Di Blasio, N. Briot, T. Cloitre, O. Briot, B. Gil, J. Calas, M. Averous and R.L. Aulombard 121
Atomic layer epitaxial growth studies of ZnSe using dimethylzinc and hydrogen selenide
I. Bhat and S. Akram 127
Growth of CdTe/CdZnTe strained-layer single quantum wells by modified hot-wall epitaxy method and their properties
J.-S. Hwang, B.J. Koo, I.H. Chung, H.L. Park and C.H. Chung 131
Thickness dependent properties of ZnSe on (100) GaAs grown by atomic layer epitaxy
C.D. Lee, B.K. Kim, J.W. Kim, H.L. Park, C.H. Chung, S.K. Chang, J.I. Lee and S.K. Noh 136
The metalorganic chemical vapour deposition and photoluminescence of tellurium-doped ZnS/CdS : Te strained layer superlattices
K.A. Dhese, J.E. Nicholls, W.E. Hagston, P.J. Wright, B. Cockayne and J.J. Davies 140
Epitaxial growth of ZnS on GaP by molecular beam deposition
H. Kanie, H. Araki, K. Ishizaka, H. Ohta and S. Murakami 145
Strain relief and growth modes in wurtzite type epitaxial layers of CdSe and CdS and in CdSe/CdS superlattices
M. Grün, M. Hetterich, C. Klingshirn, A. Rosenauer, J. Zweck and W. Gebhardt 150

SECTION II. BULK GROWTH AND CHARACTERIZATION

Wide gap $Cd_{1-x}Mg_xTe$: molecular beam epitaxial growth and characterization
A. Waag, F. Fischer, Th. Litz, B. Kuhn-Heinrich, U. Zehnder, W. Ossau, W. Spahn, H. Heinke and G. Landwehr 155
CdTe and $CdTe_{0.9}Se_{0.1}$ crystals grown by the travelling heater method using a rotating magnetic field
M. Salk, M. Fiederle, K.W. Benz, A.S. Senchenkov, A.V. Egorov and D.G. Matioukhin 161
Growth of large, high purity, low cost, uniform CdZnTe crystals by the "cold travelling heater method"
A. El Mokri, R. Triboulet, A. Lusson, A. Tromson-Carli and G. Didier 168
On the nature of the excitonic luminescence in narrow-gap $Hg_{1-x}Cd_xTe$ ($x \cong 0.3$)
J.W. Tomm, K.H. Herrmann, W. Hoerstel, M. Lindstaedt, H. Kissel and F. Fuchs 175
Study of electronic structure in strained ZnSe/GaAs thin films by nonlinear optical and Brewster-angle reflection spectroscopies
K. Inoue, T. Kuroda, F. Minami, K. Yoshida, M. Hayashi 182
Nonlinear refraction and optical limiting in bulk ZnTe crystal
W. Ji, A.K. Kukaswadia, Z.C. Feng, S.H. Tang and P. Becla 187
Influence of the screening of piezo-fields on the carrier dynamics in CdS/CdSe superlattices
W. Langbein, H. Kalt, M. Hetterich, M. Grün and C. Klingshirn 191
Resonant Brillouin scattering in biaxially strained ZnSe
H. Mayer, U. Rössler, S. Permogorov, H. Stolz, H. Vogelsang and W. von der Osten 195
Alloy broadening in photoluminescence spectra of $Cd_{1-x}Zn_xTe$ crystals grown from Te solution
K. Suzuki, N. Akita, K. Inagaki, A. Nishihata, N. Takojima and S. Dairaku 199
Polarized photoluminescence in vacancy-ordered Ga_2Se_3
T. Okamoto, A. Yamada, M. Konagai and K. Takahashi 204
Temperature dependence of luminescence in ZnSe and role of excitation transfer
G.-J. Yi, L. Radomsky and G.F. Neumark 208
Nonlinear optical switching fronts in CdS
R. Schmolke, E. Schöll, M. Nägele and J. Gutowski 213
Photoluminescence of vapor and solution grown ZnTe single crystals
Y. Biao, M. Azoulay, M.A. George, A. Burger, W.E. Collins, E. Silberman, C.-H. Su, M.E. Volz, F.R. Szofran and D.C. Gillies 219
Optical properties of "pure" CdS and metal–insulator–semiconductor structures on CdS at electrical operation
M.A. Jakobson, V.D. Kagan, R.P. Seisyan and E.V. Goncharova 225

Measurement of optical nonlinear susceptibility of CdS single crystal using a single beam
Z. Li, G. Xiong, Z. Zhao and X. Fan 231
First realization of bistable light emitting devices
B. Ullrich, A. Kazlauskas, S. Zerlauth and T. Kobayashi 234
Raman, infrared, photoluminescence and theoretical studies of the II–VI–VI ternary CdSeTe
Z.C. Feng, P. Becla, L.S. Kim, S. Perkowitz, Y.P. Feng, H.C. Poon, K.P. Williams and G.D. Pitt 239
Optical and thermal spectroscopy of vanadium-doped CdTe and related photorefractive effect
E. Rzepka, A. Aoudia, M. Cuniot, A. Lusson, Y. Marfaing, R. Triboulet, G. Brémond, G. Marrakchi, K. Cherkaoui, M.C. Busch, J.M. Koebel, M. Hage-Ali, P. Siffert, J.Y. Moisan, P. Gravey, N. Wolffer and O. Moine 244
Systematic steps towards exactly stoichiometric and uncompensated CdTe Bridgman crystals
P. Rudolph, U. Rinas and K. Jacobs 249
Iodine doping in ZnSe films grown by vapor phase epitaxy
T. Muranoi, S. Onizawa and M. Sasaki 255
ZnSe single crystal growth by the method of dissociative sublimation
H. Hartmann and D. Siche 260
Characterization of impurities in II–VI semiconductors by time-resolved lineshape analysis of donor–acceptor pair spectra
P. Bäume, F. Kubacki and J. Gutowski 266
Studies on the diffusion of zinc in cadmium telluride at 800°C
E.D. Jones, J.C. Clark, J.B. Mullin and A.W. Brinkman 274
Incorporation of iodine into CdTe by diffusion
E.D. Jones, J. Malzbender, J.B. Mullin and N. Shaw 279
Complex formation in In- and Ag/Cu-doped CdTe
M. Rüb, N. Achtziger, J. Meier, U. Reislöhner, P. Rudolph, M. Wienecke and W. Witthuhn 285

SECTION III. DOPING

III.A. Modeling

Lattice location of N atoms in heavily N-doped ZnSe studied with ion beam analysis and its implication on deep level defects
T. Yao, T. Matsumoto, S. Sasaki, C.K. Chung, Z. Zhu and F. Nishiyama 290
Acceptor and donor states of impurities in wide band gap II–VI semiconductors
D.J. Chadi 295
Interaction between N_2 and stabilized ZnSe surface
T. Uenoyama, T. Nakao and M. Suzuki 301
Limits of acceptor impurity doping in wide band gap II–VI semiconductors
Y. Marfaing 305
Systematic investigation of shallow acceptor levels in ZnSe
Y. Zhang, W. Liu, B.J. Skromme, H. Cheng, S.M. Shibli and M.C. Tamargo 310
Acceptor state instabilities in ZnSe under hydrostatic pressure
D.J. Strachan, M.M. Li, M.C. Tamargo and B.A. Weinstein 318
Comparison between gallium-implanted layers of ZnSe and ZnS_xSe_{1-x} by optical, electrical and electron beam characterization methods
G. Gleitsmann, N. Ammann, J. Hermans, A. Schneider, J. Geurts, P. Karduck and M. Heuken 324
Correlation between electrical and structural properties of chlorine doped ZnSe epilayers grown by molecular beam epitaxy
D. Hommel, B. Jobst, T. Behr, G. Bilger, V. Beyersdorfer, E. Kurtz and G. Landwehr 331
Effects of C incorporation on the luminescence properties of ZnSe grown by metalorganic chemical vapor deposition
B.J. Skromme, W. Liu, K.F. Jensen and K.P. Giapis 338
Defect-induced emission band in CdTe
S. Seto, A. Tanaka, F. Takeda and K. Matsuura 346

III.B. Characterization

p-Type ZnSe : N grown by molecular beam epitaxy: evidence of non-radiative recombination centers in moderately to heavily doped material *
L.C. Calhoun, C.M. Rouleau, M.H. Jeon and R.M. Park 352

Laser induced doping profiles in molecular beam epitaxy grown ZnSe doped with iodine
J.T. Mullins, G. Horsburgh, J. Simpson, P. Thompson, M.R. Taghizadeh, I. Hauksson, S.Y. Wang, K.A. Prior, B.C. Cavenett, G.M. Williams and A.G. Cullis 357
Optical study of interdiffusion in CdTe and ZnSe based quantum wells
D. Tönnies, G. Bacher, A. Forchel, A. Waag, Th. Litz, D. Hommel, Ch. Becker, G. Landwehr, M. Heuken and M. Scholl 362
Phase separation in $ZnSe_{1-x}S_x$ and $Zn_{1-y}Mg_ySe_{1-x}S_x$ layers grown by molecular beam epitaxy
G.C. Hua, N. Otsuka, D.C. Grillo, J. Han, L. He and R.L. Gunshor 367
In-situ monitoring by spectroscopic ellipsometry in ZnSe crystal growth by molecular beam epitaxy
K. Kato, F. Akinaga, T. Kamai and M. Wada 373
Incorporation of nitrogen in ZnSe grown by metalorganic vapour phase epitaxy
A. Hoffmann, R. Heitz, B. Lummer, Ch. Fricke, V. Kutzer, I. Broser, W. Taudt, G. Gleitsmann and M. Heuken 379
Shallow impurity- and defect-related complexes in undoped ZnSe crystals
U.W. Pohl, G.H. Kudlek, A. Klimakow and A. Hoffmann 385

III.C. Implementation

Blue-green light-emitting diodes with p-ZnSSe highly doped with nitrogen grown by metalorganic molecular beam epitaxy and molecular beam epitaxy *
M. Migita, A. Taike, M. Momose and J. Gotoh 391
Molecular beam epitaxy of ZnSe doped with nitrogen on vicinal (100)-oriented and (211)-oriented GaAs substrates
Z. Zhu, T. Ebisutani, K. Takebayashi, K. Tanaka and T. Yao 397
p-Type doping of ZnSe with a novel nitrogen exciter
T. Matsumoto, T. Inaba, Y. Yoda, K. Egashira, T. Kato and T. Akitsu 403
Nitrogen doping into ZnSe by the catalysis of transition metal
H. Tojima, T. Okamoto, A. Yamada, M. Konagai and K. Takahashi 408
Growth and doping of ZnTe and ZnSe epilayers with metalorganic vapour phase epitaxy
K. Wolf, H. Stanzl, A. Naumov, H.P. Wagner, W. Kuhn, B. Hahn and W. Gebhardt 412
Low temperature growth and plasma enhanced nitrogen doping of ZnSe by metalorganic vapour phase epitaxy
W. Taudt, A. Schneider, M. Heuken, Ch. Fricke and A. Hoffmann 418
Metalorganic molecular beam epitaxy doping of II–VI compound semiconductors
R.N. Bicknell-Tassius, W.M. Theis, T. Cole, K.T. Higa and T.J. Groshens 425
Atomic nitrogen production in nitrogen-plasma sources used for the growth of ZnSe : N and related alloys by molecular-beam epitaxy
R.P. Vaudo, J.W. Cook, Jr. and J.F. Schetzina 430
Halogen doping of II–VI semiconductors during molecular beam epitaxy
A. Waag, Th. Litz, F. Fischer, H. Heinke, S. Scholl, D. Hommel, G. Landwehr and G. Bilger 437
Nitrogen doping of molecular beam epitaxially grown CdTe with a radio-frequency plasma source
K.A. Dhese, D.E. Ashenford, J.E. Nicholls, P. Devine, B. Lunn, C.G. Scott and J. Jaroszyński 443
Investigation of hydrogen, carbon and further impurities in the metalorganic vapour phase epitaxy of ZnSe with ditertiarybutylselenide and methylallylselenide
W.S. Kuhn, R. Driad, H. Stanzl, A. Lusson, K. Wolf, B. Qu'Hen, H. Sahin, L. Svob, C. Grattepain, X. Quesada, W. Gebhardt and O. Gorochov 448

SECTION IV. TRANSPORT AND CONTACTS

Integrated heterostructure devices composed of II–VI materials with Hg-based contact layers *
J. Ren, D.B. Eason, L.E. Churchill, Z. Yu, C. Boney, J.W. Cook, Jr., J.F. Schetzina and N.A. El-Masry 455
Ohmic contacts and transport properties in ZnSe-based heterostructures *
J. Han, Y. Fan, M.D. Ringle, L. He, D.C. Grillo, R.L. Gunshor, G.C. Hua and N. Otsuka 464
The growth of HgSe by molecular beam epitaxy for ohmic contacts to p-ZnSe
S. Einfeldt, H. Heinke, M. Behringer, C.R. Becker, E. Kurtz, D. Hommel and G. Landwehr 471
The hole diffusion length in epitaxial zinc selenide
J. Zheng and J.W. Allen 477
Mesoscopic phenomena in a dilute magnetic semiconductor $Hg_{1-x-y}Cd_yMn_xTe$
G. Grabecki, T. Dietl, W. Plesiewicz, A. Lenard, T. Skośkiewicz, E. Kamińska and A. Piotrowska 481

A prediction of the electron mobility in medium gap HgCdTe and HgZnTe solid solutions
R. Granger and C.M. Pelletier 486
Low temperature variable range hopping conductivity in doped CdTe crystals
N.V. Agrinskaya 493

SECTION V. ELECTRONIC STRUCTURE OF BULK AND HETEROSTRUCTURES

Ab initio calculation of electronic structure and structural properties of $ZnSe_xTe_{1-x}$
B. Freytag and U. Rössler 499
Photoionization of a deep centre in zinc selenide giving information about the conduction band structure
J. Zheng and J.W. Allen 504
Measurement of the $MgSe/Cd_{0.54}Zn_{0.46}Se$ valence band offsett by X-ray photoelectron spectroscopy
M.W. Wang, J.F. Swenberg, R.J. Miles, M.C. Phillips, E.T. Yu, J.O. McCaldin, R.W. Grant and T.C. McGill 508
Superlattice effects on phonons in strained ZnTe–ZnSe structures
J. Frandon, M.A. Renucci, N. Briot, O. Briot and R.L. Aulombard 513
Interface morphology studies of liquid phase epitaxy grown HgCdTe films by atomic force microscopy
M. Azoulay, M.A. George, A. Burger, W.E. Collins and E. Silberman 517
Investigation of crystal quality and surface morphology of ZnTe:N epilayers grown on ZnTe and GaSb substrates
R.J. Miles, J.F. Swenberg, M.W. Wang, M.C. Phillips and T.C. McGill 523
Comparison of CdTe, $Cd_{0.9}Zn_{0.1}Te$ and $CdTe_{0.9}Se_{0.1}$ crystals: application for γ- and X-ray detectors
M. Fiederle, D. Ebling, C. Eiche, D.M. Hofmann, M. Salk, W. Stadler, K.W. Benz and B.K. Meyer 529
The study of lattice strain and high-resolution transmission electron microscopy in ZnSe–ZnS strained-layer superlattices
Z.P. Guan, S.H. Song, G.H. Fan, X.W. Fan, Y.G. Peng and Y.K. Wu 534
Transmission electron microscopy investigations of II–VI/GaAs heterostructures
P.D. Brown, Y.Y. Loginov, J.T. Mullins, K. Durose, A.W. Brinkman and C.J. Humphreys 538
Scanning tunneling microscopy of CdSe single crystal cleaved and "real" surface
J. Vaitkus, R. Baubinas, V. Kazlauskiene, D. Kuciauskas, J. Miskinis, U. Karlsson, M. Hammar, M. Göthelid, M. Björqvist and E. Lindberg 545

SECTION VI. OPTICAL PROPERTIES OF QUANTUM WELLS AND SUPERLATTICES

ZnTe fractional monolayers and dots in a CdTe matrix *
N. Magnea 550
Deep blue and UV photoluminescence from ZnS/CdS superlattices and quantum wells
G. Brunthaler, M. Lang, A. Forstner, C. Giftge, D. Schikora, S. Ferreira, H. Sitter and K. Lischka 559
Optical confinement in ZnSe-based quantum well structure using impurity induced disordering
T. Yokogawa, P.D. Floyd, J.L. Merz, H. Luo and J.K. Furdyna 564
Ultraviolet lasing and excitonic gain in $Cd_xZn_{1-x}S$-ZnS strained-layer multiple quantum wells
Y. Yamada, Y. Masumoto and T. Taguchi 570
Exciton dynamics and high density effects in ZnSe/ZnMnSe quantum structures grown by molecular beam epitaxy
A. Schülzgen, F. Kreller, F. Henneberger, M. Lowisch and J. Puls 575
Confined and propagating phonons in atomic layer epitaxy grown $(CdTe)_n(ZnTe)_n$ superlattices
T. Fromherz, E. Oh, A.K. Ramdas, E. Koppensteiner, G. Bauer, W. Faschinger and H. Sitter 580
Temperature dependence of optical gain in CdTe/CdMnTe heterostructures
R. Legras, L.S. Dang, C. Bodin, J. Cibert, F. Marcenat, G. Feuillet, J.L. Pautrat, D. Herve and E. Molva 585
Photoluminescence of CdTe/ZnTe semiconductor wires and dots
C. Gourgon, B. Eriksson, L.S. Dang, H. Mariette and C. Vieu 590
Exciton recombination in $ZnSe_xTe_{1-x}$/ZnTe QWs and $ZnSe_xTe_{1-x}$ epilayers grown by metalorganic vapour phase epitaxy
A. Naumov, H. Stanzl, K. Wolf, A. Rosenauer, S. Lankes and W. Gebhardt 595
Magneto-optical study of ZnSe/(Zn,Mn)Se and ZnSe/(Zn,Cd,Mn)Se quantum well structures and superlattices
W. Heimbrodt, O. Goede, V. Weinhold, M. Happ, R. Knoch, K. Hieke, N. Hoffmann, J. Griesche, K. Jacobs, F. Neugebauer, D. Suisky and J. Röseler 601
Electron-gas screening of the piezoelectric fields in indium-doped (211) $CdTe/Cd_{1-x}Zn_xTe$ quantum wells
F. Bassani, K. Kheng, M. Mamor, R.T. Cox, N. Magnea, K. Saminadayar and S. Tatarenko 607
Optical and X-ray analysis of ZnS_xSe_{1-x}/ZnSe superlattices grown on GaAs by metalorganic vapour phase epitaxy
J. Hermans, J. Woitok, W. Schiffers, J. Geurts, A. Schneider, M. Scholl, J. Söllner and M. Heuken 612

Characterization of alloy formation at the ZnSe/CdSe quantum-well interface by photoluminescence spectroscopy
Z. Zhu, H. Yoshihara, K. Takebayashi and T. Yao 619
Light interference effect in optical bistability of multiple quantum well etalons
D.Z. Shen, X.W. Fan and B.J. Yang 625
Growth and optical bistability of $Zn_{0.78}Cd_{0.22}Se$–ZnSe multiple quantum wells by metalorganic chemical vapor deposition
B.J. Yang, L.C. Chen, X.W. Fan, J.Y. Zhang, Z.H. Zheng, Y.M. Lu, Z.P. Guan, A.H. Yang and S.M. Wang 629
Photoluminescence of ultrathin ZnSe–ZnTe superlattices
N. Takojima, F. Iida, K. Imai and K. Kumazaki 633
Fabrication and optical characterization of wet chemically etched CdTe/CdMgTe wires
M. Illing, G. Bacher, A. Forchel, A. Waag, T. Litz and G. Landwehr 638
Structural characteristics and higher-order zone-folded phonon modes in ZnSe–ZnS strained-layer superlattices
A. Yamamoto, Y. Kanemitsu and Y. Masumoto 643
A ZnSe/ZnCdSe quantum well symmetric self-electro-optic effect device operating in the blue-green region
S.Y. Wang, P. Thompson, G. Horsburgh, J.T. Mullins, I. Hauksson, K.A. Prior and B.C. Cavenett 647
Polar magneto-optic Kerr effect in (Cd,Mn)Te/CdTe superlattices
B. Buda, M. Dahl, N. von Truchsess and A. Waag 652
Spin-flip Raman scattering by electrons bound to donors in $CdTe/Cd_{1-x}Mn_xTe$ multiple quantum well structures as a function of barrier composition
D. Wolverson, J.J. Davies, S.V. Railson, M.P. Halsall, D.E. Ashenford and B. Lunn 656
Optical studies of quantum wells induced by magnetic fields in $Cd_{1-x}Mn_xTe/Cd_{1-y}Zn_yTe$ epitaxial structures
J.J. Davies, R.T. Cox and G. Feuillet 661

SECTION VII. BLUE-GREEN DIODE LASERS AND LIGHT EMITTING DIODES

VII.A. Device engineering and concepts

Room temperature II–VI lasers with 2.5 mA threshold *
J.M. DePuydt, M.A. Haase, S. Guha, J. Qiu, H. Cheng, B.J. Wu, G.E. Höfler, G. Meis-Haugen, M.S. Hagedorn and P.F. Baude 667
Advances in blue laser diodes *
A. Ishibashi and Y. Mori 677
Improvement in lasing characteristics of II–VI blue-green lasers using quaternary and ternary alloys to produce pseudomorphic heterostructures *
J. Petruzzello, R. Drenten and J.M. Gaines 686
Advances in the development of graded injector visible light emitters
J.F. Swenberg, M.W. Wang, R.J. Miles, M.C. Phillips, A.T. Hunter, J.O. McCaldin and T.C. McGill 692
Electrical and optical modeling of II–VI semiconductor diode lasers
P.M. Mensz 697
Quaternary II–VI alloys for blue and green light emitting diode applications
D.B. Eason, Z. Yu, C. Boney, J. Ren, L.E. Churchill, J.W. Cook, Jr., J.F. Schetzina and N.A. El-Masry 703
Optical modulators using quantum confined Stark effect in ZnSe based multiple quantum well structures
F. Jain, W. Huang, R. LaComb, C. Chung and G. Drake 709
Quantitative study of mechanism responsible for high operating voltage in II–VI laser diodes
I. Suemune 714

VII.B. Device physics and materials science

Gain and dynamics in ZnSe-based quantum wells *
J. Ding, M. Hagerott, P. Kelkar, A.V. Nurmikko, D.C. Grillo, L. He, J. Han and R.L. Gunshor 719
Comparison of GaN- and ZnSe-based materials for light emitters *
T. Matsuoka, A. Ohki, T. Ohno and Y. Kawaguchi 727
Photo-assisted metalorganic vapor-phase epitaxy for nitrogen doping and fabrication of blue-green emitting devices of ZnSe-based semiconductors *
Sz. Fujita, T. Asano, K. Maehara, T. Tojyo and Sg. Fujita 737
Helium gas mixing in nitrogen plasma for the control of the acceptor concentration in p-ZnSe
M. Kobayashi, H. Tosaka, T. Nagatake, T. Yoshida and A. Yoshikawa 745

Improvement of electrical and optical properties of ZnSSe p–n heterostructure diodes with optimization in metalorganic vapor phase epitaxy
I. Suemune, Y. Fujii and M. Fujimoto 750
Metalorganic vapor phase epitaxy growth of p-type ZnSSe and its application for blue-green lasers
K. Yanashima, D. Yamasaki, S. Watabe, K. Hara, J. Yoshino and H. Kukimoto 755
Photoluminescence excitation spectroscopy of the lasing transition in ZnSe–(Zn,Cd)Se quantum wells
Y. Kawakami, I. Hauksson, J. Simpson, H. Stewart, I. Galbraith, K.A. Prior and B.C. Cavenett 759
Dependence of device characteristics on quantum well thickness in ZnSe/ZnCdSe multi-quantum well blue-green laser diodes
Y. Tomomura, S. Hirata, T. Okumura, M. Kitagawa, A. Suzuki and H. Takiguchi 764

SECTION VIII. III–V LIGHT EMITTERS

InGaAlP visible light laser diodes and light-emitting diodes *
K. Itaya, H. Sugawara and G. Hatakoshi 768
Recent progress in III–V quantum optoelectronic devices *
C. Weisbuch 776

SECTION IX. NONLINEAR OPTICS AND EXCITATION KINETICS

Stimulated emission of II–VI epitaxial layers
C. Klingshirn, H. Kalt, M. Umlauff, W. Petri, F.A. Majumder, S.V. Bogdanov, W. Langbein, M. Grün, M. Hetterich, K.P. Geyzers, M. Heuken, A. Naumov, H. Stanzl and W. Gebhardt 786
Dephasing excitons in a $CdTe/Cd_{0.86}Mn_{0.14}Te$ multiple quantum well
R. Hellmann, M. Koch, J. Feldmann, S.T. Cundiff, E.O. Göbel, D.R. Yakovlev, A. Waag and G. Landwehr 791
Two-photon spectroscopy in ZnSe/ZnS quantum wells
F. Minami, K. Yoshida, K. Inoue and H. Fujiyasu 796
Nonlinear quantum beat spectroscopy of bound biexcitons in II–VI semiconductors
J. Erland, B.S. Razbirin, V.G. Lyssenko, K.-H. Pantke and J.M. Hvam 800
Free induction decay and quantum beat of excitons in ZnSe
T. Saiki, K. Takeuchi, K. Ema, M. Kuwata-Gonokami, K. Ohkawa and T. Mitsuyu 805
Degenerate four-wave mixing at bound excitons in II–VI semiconductors
I. Broser, B. Lummer, R. Heitz and A. Hoffmann 809
Time-resolved donor–acceptor pair recombination luminescence in highly n- and p-doped II–VI semiconductors
Ch. Fricke, R. Heitz, B. Lummer, V. Kutzer, A. Hoffmann, I. Broser, W. Taudt and M. Heuken 815
Energy transfer processes via the interface of ZnSe/GaAs epilayers
N. Presser, Ch. Fricke, G. Kudlek, R. Heitz, A. Hoffmann and I. Broser 820
Polarization dependent dephasing measurements in $Cd_xZn_{1-x}Te/ZnTe$ multiple quantum well structures
J.P. Doran, R.P. Stanley, J. Hegarty, R.D. Feldman and R.F. Austin 826
Exciton transfer dynamics in CdTe/(Cd,Zn)Te asymmetric double quantum well structures
S. Haacke, N.T. Pelekanos, H. Mariette, A.P. Heberle, W.W. Rühle and M. Zigone 831
Excitonic emission in ZnCdSe–ZnSe multiple quantum wells
J.-Y. Zhang, X.W. Fan, B.J. Yang, Z.P. Guan, Y.M. Lu and D.Z. Shen 838
Nonlinear transmission dynamics of $ZnS_xSe_{1-x}/ZnSe$ and $ZnS_xSe_{1-x}/ZnS_ySe_{1-y}$ $(x > y)$ waveguide structures
M. Nägele, W. Ebeling, J. Gutowski, K.P. Geyzers and M. Heuken 842
Exciton relaxation dynamics in ultrathin CdSe/ZnSe single quantum wells
U. Neukirch, D. Weckendrup, W. Faschinger, P. Juza and H. Sitter 849
Many body effects in transient luminescence spectra of a homogeneous electron–hole plasma in CdTe/CdMnTe quantum wells
G. Bacher, F. Daiminger, A. Forchel, A. Waag, Th. Litz and G. Landwehr 856
Dynamical properties of excitons in $Zn_{1-x}Cd_xSe/ZnSe$ quantum wells and $Zn_{1-x}Cd_xSe$ epilayers grown by molecular beam epitaxy
U. Neukirch, D. Weckendrup, J. Gutowski, D. Hommel and G. Landwehr 861
Photo-induced screening of the excitonic interaction in ZnSe–ZnTe type II strained-layer superlattices
B. Gil, T. Cloitre, N. Briot, O. Briot, P. Boring and R.L. Aulombard 868

Exciton and Raman processes of ZnS under tunable picosecond light pulse excitations
H. Uchiki, H. Kinto, T. Moriyama, S. Hata, N. Tsuboi, J. Wang and S. Iida 873

SECTION X. DILUTED MAGNETIC SEMICONDUCTORS

Antiferromagnetic spin ordering and interlayer magnetic correlations in MnTe/CdTe superlattices *
T.M. Giebultowicz, W. Faschinger, V. Nunez, P. Klosowski, G. Bauer, H. Sitter and J.K. Furdyna 877
Photoluminescence in a ZnSe/(Zn,Mn)Se heterostructure: magnetic-field induced transition from light to heavy excitons
E. Deleporte, T. Lebihen, P. Roussignol, B. Ohnesorge, C. Delalande, S. Guha and H. Munekata 884
Magnetic field dependence of the exciton transfer in semimagnetic double quantum well structures
Th. Pier, K. Hieke, B. Henninger, W. Heimbrodt, O. Goede, H.-E. Gumlich, J.E. Nicholls, M. O'Neill, S.J. Weston and B. Lunn 889
Orbital exchange in diluted magnetic semiconductors
A.K. Bhattacharjee 895
Magnetic properties of $Cd_{1-x}Mn_xTe$ grown by molecular beam epitaxy
M. Sawicki, M.A. Brummell, P.A.J. de Groot, G.J. Tomka, D.E. Ashenford and B. Lunn 900
The influence of exchange interaction on the composition dependence of interband transitions in $Zn_{1-x}Mn_xSe$
Ch. Jung, H.-Ch. Mertins, S. Katholy and H.-E. Gumlich 905
Magnetic or nonmagnetic behavior of isolated scandium ions in II–VI compounds
D. Schumann, H.-E. Mahnke, B. Spellmeyer, G. Sulzer, H. Waldmann, W.-D. Zeitz, U.W. Pohl and H.-E. Gumlich 910
Nature of the absorption bands in $Zn_{1-x}Co_xS$
L. Martinez, S.A. Lopez-Rivera, W. Giriat and F. Medina 913

SECTION XI. NARROW GAP SEMICONDUCTORS

Electron beam induced current assessment of doped and diffused junctions in epitaxial $Cd_xHg_{1-x}Te$
M.P. Hastings, C.D. Maxey, B.E. Matthews, N.E. Metcalfe, P. Capper, C.L. Jones and I.G. Gale 917
Characterization of intrinsic and impurity deep levels in ZnSe and ZnO crystals by nonlinear spectroscopy
V. Gavryushin, G. Račiukaitis, D. Juodžbalis, A. Kazlauskas and V. Kubertavičius 924
Angle resolved X-ray photoelectron spectroscopy of the surface of $Hg_{0.85}Zn_{0.15}Te$ and after passivation processes
A. Quemerais, K.H. Khelladi, D. Lemoine, R. Granger and R. Triboulet 934
Ultrafast diffusion of Hg in $Hg_{1-x}Cd_xTe$ ($x \approx 0.21$)
E. Belas, P. Höschl, R. Grill, J. Franc, P. Moravec, K. Lischka, H. Sitter and A. Toth 940
Indium doped $Hg_{0.7}Cd_{0.3}Te$/undoped $Hg_{0.8}Cd_{0.2}Te$/CdTe heterojunction grown by Te-rich liquid phase epitaxy
S.W. Moon, S.H. Suh and C.S. Choi 944
$Hg_{0.8}Cd_{0.2}Te$ grown by liquid phase epitaxy using $Cd_{0.94}Zn_{0.06}Te$ buffer layer
N.J. Kwak, I.H. Choi, S.W. Lim and S.H. Suh 950
Bridgman growth of $Hg_{1-x}Cd_xTe$ from melt of constant composition
P. Höschl, R. Grill, J. Svoboda, P. Hlídek, P. Moravec, J. Franc and E. Belas 956
HgTe and $Hg_{1-x}Cd_xTe$ vapor phase epitaxial growth under controlled Hg pressure
H. Kuwabara, H. Tatsuoka, Y. Nakanishi, A. Ichida, H. Fujiyasu, M. Nakayama and T. Yamanari 964

SECTION XII. NANOCLUSTERS AND QUANTUM SIZE STRUCTURES

Doped zinc sulfide nanocrystals precipitated within a poly(ethylene oxide) matrix – processing and optical characteristics *
D. Gallagher, W.E. Heady, J.M. Racz and R.N. Bhargava 970
Electric field induced absorption modulation of CdS quantum dots in an organic matrix
U. Woggon, S.V. Bogdanov, O. Wind and V. Sperling 976
Photoluminescence study of HgTe–$Hg_{0.9}Cd_{0.1}Te$ superlattices
J.R. Meyer, A.R. Reisinger, K.A. Harris, R.W. Yanka, L.M. Mohnkern and L.R. Ram-Mohan 981
CdS quantum dots in the weak confinement
U. Woggon, M. Saleh, A. Uhrig, M. Portuné and C. Klingshirn 988
CdS quantum dots in colloids and polymer matrices: electronic structure and photochemical properties
V.S. Gurin and M.V. Artemyev 993

Absorption properties of CdS nanocrystals in glasses; evidence of both weak and strong confinement regimes
J. Allègre, G. Arnaud, H. Mathieu, P. Lefebvre, W. Granier and L. Boudes 998
Carrier dynamics in CdS quantum dots embedded in glass
J. Puls, V. Jungnickel, F. Henneberger and A. Schülzgen 1004

SECTION XIII. ELECTROLUMINESCENCE AND CORE EXCITATIONS

SrS–ZnS electroluminescence materials *
H. Kobayashi 1010
Trailing edge phenomena in SrS:$CeCl_3$ thin film electroluminescent devices
U. Troppenz, B. Hüttl, K.O. Velthaus and R.H. Mauch 1017
Space charge and excitation efficiency in ZnS thin film electroluminescent devices
A. Zeinert, P. Benalloul, J. Benoit, C. Barthou and H.-E. Gumlich 1023
Mn-3d derived partial density of states at the interface of epitaxially grown zinc-blende MnTe on CdTe(100)
P.R. Bressler and H.-E. Gumlich 1028
Peculiarities of transport properties in semiconductors with resonant impurities: HgSe:Fe versus PbTe:Cr
E. Grodzicka, W. Dobrowolski, J. Kossut, T. Story and B. Witkowska 1034
The thermodynamics of indium–vacancy pairs in $Hg_{0.79}Cd_{0.21}Te$
Wm.C. Hughes, J.C. Austin and M.L. Swanson 1040
Electroluminescence spectra of rare-earth-doped $ZnS_{1-x}Se_x$ thin films
N. Miura, K. Ogawa, S. Kobayashi, H. Matsumoto and R. Nakano 1046
Formation and optical properties of homogeneous solid solutions of $Ca_{1-x}Sr_xS$:Ce
B.W. Arterton, J.W. Brightwell, B. Ray and I.V.F. Viney 1051
Electrical and optical stimulation of luminescence in $Ca_{1-x}Cd_xS$
I.V.F. Viney, B.W. Arterton, B. Ray and J.W. Brightwell 1055
Growth and characterization of SrS/ZnS multilayered electroluminescent thin films grown by hot wall technique
K. Ohmi, Y. Yamano, S.T. Lee, T. Ueda, S. Tanaka and H. Kobayashi 1061
The influence of crystal structure on the Zn 3d states in $Zn_{1-x}Mn_xS$
Ch. Jung, H.-Ch. Mertins and H.-E. Gumlich 1066

SECTION XIV. LATE NEWS PAPERS

The nitrogen–hydrogen complex in ZnSe
J.A. Wolk, J.W. Ager III, K.J. Duxstad, W. Walukiewicz, E.E. Haller, N.R. Taskar, D.R. Dorman and D.J. Olego 1071
The influence of nitrogen on the p-conductivity in ZnSe epilayers grown by molecular beam epitaxy
A. Hoffmann, B. Lummer, L. Eckey, V. Kutzer, Ch. Fricke, R. Heitz, I. Broser, E. Kurtz, B. Jobst and D. Hommel 1073
SrS single crystals grown by physical vapor transport
R. Helbing and R.S. Feigelson 1075
Studies of blue-green laser structures with asymmetric and pseudomorphic ZnSe wave guides
D. Hommel, E. Kurtz, T. Behr, A. Jakobs, B. Jobst, S. Scholl, K. Schüll, V. Beyersdorfer, G. Landwehr and H. Cerva 1076
Ridge waveguide, separate confinement green-blue heterostructure lasers
A. Salokatve, H. Jeon, M. Hovinen, P. Kelkar, A.V. Nurmikko, D.C. Grillo, L. He, J. Han, Y. Fan and R.L. Gunshor 1077
Reduction of the Au/p-ZnSe(100) Schottky barrier height using a thin Se interlayer
W. Chen, J. Gaines, C. Ponzoni, D. Olego, P.S. Mangat, P. Soukiassian and A. Kahn 1078
Growth of MgTe and $Zn_{1-x}Mg_xTe$ thin films by metalorganic vapour phase epitaxy
B. Qu'Hen, X. Quesada, W.S. Kuhn, J.E. Bourée, L. Svob, A. Lusson and O. Gorochov 1079

Author index 1081
Subject index 1097